



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

October 27, 2025

Nate Evenson
Kane Environmental, Inc.
4015 13th Avenue West
Seattle, WA 98119

Re: Analytical Data for Project 75038-3.4
Laboratory Reference No. 2510-289

Dear Nate:

Enclosed are the analytical results and associated quality control data for samples submitted on October 20, 2025.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "DB", with a long horizontal line extending to the right.

David Baumeister
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: October 27, 2025
Samples Submitted: October 20, 2025
Laboratory Reference: 2510-289
Project: 75038-3.4

Case Narrative

Samples were collected on October 18, 2025 and received by the laboratory on October 20, 2025. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below. However the soil results for the QA/QC samples are reported on a wet-weight basis.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.



Date of Report: October 27, 2025
 Samples Submitted: October 20, 2025
 Laboratory Reference: 2510-289
 Project: 75038-3.4

DRINKING WATER LEAD
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags	MDL
Client ID:	B1980_R113_S1						
Laboratory ID:	10-289-01						
Lead	ND	1.0	EPA 200.8		10-24-25		0.15

Client ID:	B1980_R113_S2						
Laboratory ID:	10-289-02						
Lead	0.16	1.0	EPA 200.8		10-24-25	J	0.15

Client ID:	B1980_R113_S3						
Laboratory ID:	10-289-03						
Lead	0.93	1.0	EPA 200.8		10-24-25	J	0.15

Client ID:	B1980_R114_S4						
Laboratory ID:	10-289-04						
Lead	ND	1.0	EPA 200.8		10-24-25		0.15

Client ID:	B1980_R114_S5						
Laboratory ID:	10-289-05						
Lead	0.29	1.0	EPA 200.8		10-24-25	J	0.15

Client ID:	B1980_R114_S6						
Laboratory ID:	10-289-06						
Lead	ND	1.0	EPA 200.8		10-24-25		0.15

Client ID:	B1980_R115_S7						
Laboratory ID:	10-289-07						
Lead	ND	1.0	EPA 200.8		10-24-25		0.15

Client ID:	B1980_R116_S8						
Laboratory ID:	10-289-08						
Lead	ND	1.0	EPA 200.8		10-24-25		0.15



Date of Report: October 27, 2025
 Samples Submitted: October 20, 2025
 Laboratory Reference: 2510-289
 Project: 75038-3.4

**DRINKING WATER LEAD
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags	MDL
Client ID: B1980_R116_A1							
Laboratory ID: 10-289-09							
Lead	ND	1.0	EPA 200.8		10-24-25		0.15
Client ID: B1980_R116_S9							
Laboratory ID: 10-289-10							
Lead	ND	1.0	EPA 200.8		10-24-25		0.15
Client ID: B1980_R117_S10							
Laboratory ID: 10-289-11							
Lead	0.34	1.0	EPA 200.8		10-24-25	J	0.15
Client ID: B1980_R117_A2							
Laboratory ID: 10-289-12							
Lead	0.20	1.0	EPA 200.8		10-24-25	J	0.15
Client ID: B1980_R117_S11							
Laboratory ID: 10-289-13							
Lead	0.19	1.0	EPA 200.8		10-24-25	J	0.15
Client ID: B1980_R119_S12							
Laboratory ID: 10-289-14							
Lead	0.43	1.0	EPA 200.8		10-24-25	J	0.15
Client ID: B1980_R119_A3							
Laboratory ID: 10-289-15							
Lead	ND	1.0	EPA 200.8		10-24-25		0.15
Client ID: B1980_R119_S13							
Laboratory ID: 10-289-16							
Lead	0.48	1.0	EPA 200.8		10-27-25	J	0.15



Date of Report: October 27, 2025
 Samples Submitted: October 20, 2025
 Laboratory Reference: 2510-289
 Project: 75038-3.4

**DRINKING WATER LEAD
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags	MDL
Client ID:	B1980_R120_S14						
Laboratory ID:	10-289-17						
Lead	0.17	1.0	EPA 200.8		10-27-25	J	0.15

Client ID:	B1980_R120_A4						
Laboratory ID:	10-289-18						
Lead	ND	1.0	EPA 200.8		10-27-25		0.15

Client ID:	B1980_R120_S15						
Laboratory ID:	10-289-19						
Lead	0.80	1.0	EPA 200.8		10-27-25	J	0.15

Client ID:	B1980_R121_S16						
Laboratory ID:	10-289-20						
Lead	ND	1.0	EPA 200.8		10-27-25		0.15

Client ID:	B1980_R121_A5						
Laboratory ID:	10-289-21						
Lead	ND	1.0	EPA 200.8		10-27-25		0.15

Client ID:	B1980_R121_S17						
Laboratory ID:	10-289-22						
Lead	ND	1.0	EPA 200.8		10-27-25		0.15

Client ID:	B1980_EXT_HB1						
Laboratory ID:	10-289-23						
Lead	1.3	1.0	EPA 200.8		10-27-25		0.15

Client ID:	B1980_R122_S18						
Laboratory ID:	10-289-24						
Lead	ND	1.0	EPA 200.8		10-27-25		0.15



Date of Report: October 27, 2025
 Samples Submitted: October 20, 2025
 Laboratory Reference: 2510-289
 Project: 75038-3.4

**DRINKING WATER LEAD
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags	MDL
Client ID: B1980_R122_S19							
Laboratory ID: 10-289-25							
Lead	0.66	1.0	EPA 200.8		10-27-25	J	0.15

Client ID: B1980_R122_S20							
Laboratory ID: 10-289-26							
Lead	0.64	1.0	EPA 200.8		10-27-25	J	0.15

Client ID: B1980_R123_S21							
Laboratory ID: 10-289-27							
Lead	ND	1.0	EPA 200.8		10-27-25		0.15

Client ID: B1980_R123_S22							
Laboratory ID: 10-289-28							
Lead	ND	1.0	EPA 200.8		10-27-25		0.15

Client ID: B1980_R124_S23							
Laboratory ID: 10-289-29							
Lead	ND	1.0	EPA 200.8		10-27-25		0.15

Client ID: B1980_R124_S24							
Laboratory ID: 10-289-30							
Lead	0.21	1.0	EPA 200.8		10-27-25	J	0.15

Client ID: B1980_HALL_BB1							
Laboratory ID: 10-289-31							
Lead	0.16	1.0	EPA 200.8		10-27-25	J	0.15

Client ID: B1980_R105_S25							
Laboratory ID: 10-289-32							
Lead	0.46	1.0	EPA 200.8		10-27-25	J	0.15



Date of Report: October 27, 2025
 Samples Submitted: October 20, 2025
 Laboratory Reference: 2510-289
 Project: 75038-3.4

**DRINKING WATER LEAD
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags	MDL
Client ID:	B1980_EXT_HB2						
Laboratory ID:	10-289-33						
Lead	5.6	1.0	EPA 200.8		10-27-25		0.15

Client ID:	B1980_R129_S27						
Laboratory ID:	10-289-34						
Lead	0.22	1.0	EPA 200.8		10-27-25	J	0.15

Client ID:	B1980_R129_S28						
Laboratory ID:	10-289-35						
Lead	8.4	1.0	EPA 200.8		10-27-25		0.15

Client ID:	B1980_R129_S29						
Laboratory ID:	10-289-36						
Lead	4.0	1.0	EPA 200.8		10-27-25		0.15

Client ID:	B1980_R129_S30						
Laboratory ID:	10-289-37						
Lead	4.4	1.0	EPA 200.8		10-27-25		0.15

Client ID:	B1980_R130_S32						
Laboratory ID:	10-289-38						
Lead	ND	1.0	EPA 200.8		10-27-25		0.15

Client ID:	B1980_R130_S33						
Laboratory ID:	10-289-39						
Lead	2.9	1.0	EPA 200.8		10-27-25		0.15

Client ID:	B1980_R130_S34						
Laboratory ID:	10-289-40						
Lead	1.8	1.0	EPA 200.8		10-27-25		0.15



Date of Report: October 27, 2025
 Samples Submitted: October 20, 2025
 Laboratory Reference: 2510-289
 Project: 75038-3.4

**DRINKING WATER LEAD
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags	MDL
Client ID:	B1980_R130_S35						
Laboratory ID:	10-289-41						
Lead	1.5	1.0	EPA 200.8		10-27-25		0.15

Client ID:	B1980_R107_S36						
Laboratory ID:	10-289-42						
Lead	ND	1.0	EPA 200.8		10-27-25		0.15

Client ID:	B1980_R103_S37						
Laboratory ID:	10-289-43						
Lead	0.36	1.0	EPA 200.8		10-27-25	J	0.15

Client ID:	B1980_R103_S38						
Laboratory ID:	10-289-44						
Lead	0.18	1.0	EPA 200.8		10-27-25	J	0.15

Client ID:	B1980_R103_S39						
Laboratory ID:	10-289-45						
Lead	0.17	1.0	EPA 200.8		10-27-25	J	0.15

Client ID:	B1980_R103_SP1						
Laboratory ID:	10-289-46						
Lead	ND	1.0	EPA 200.8		10-27-25		0.15

Client ID:	B1980_R110_S40						
Laboratory ID:	10-289-47						
Lead	ND	1.0	EPA 200.8		10-27-25		0.15

Client ID:	B1980_EXT_HB4						
Laboratory ID:	10-289-48						
Lead	2.9	1.0	EPA 200.8		10-27-25		0.15



Date of Report: October 27, 2025
 Samples Submitted: October 20, 2025
 Laboratory Reference: 2510-289
 Project: 75038-3.4

**DRINKING WATER LEAD
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water

Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags	MDL
METHOD BLANK							
Laboratory ID:	MB1024DW1						
Lead	< 0.15	1.0	EPA 200.8		10-24-25		0.15
Laboratory ID:	MB1027DW1						
Lead	< 0.15	1.0	EPA 200.8		10-27-25		0.15
Laboratory ID:	MB1027DW2						
Lead	< 0.15	1.0	EPA 200.8		10-27-25		0.15



Date of Report: October 27, 2025
 Samples Submitted: October 20, 2025
 Laboratory Reference: 2510-289
 Project: 75038-3.4

**DRINKING WATER LEAD
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result		Spike Level		Source Result	Percent Recovery		Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE											
Laboratory ID:	10-289-15										
	ORIG	DUP									
Lead	ND	ND	NA	NA		NA	NA	NA	NA	20	
Laboratory ID:	10-289-24										
	ORIG	DUP									
Lead	ND	ND	NA	NA		NA	NA	NA	NA	20	
Laboratory ID:	10-289-38										
	ORIG	DUP									
Lead	ND	ND	NA	NA		NA	NA	NA	NA	20	
MATRIX SPIKES											
Laboratory ID:	10-289-15										
	MS	MSD	MS	MSD		MS	MSD				
Lead	75.9	76.5	80.0	80.0	ND	95	96	75-125	1	20	
Laboratory ID:	10-289-24										
	MS	MSD	MS	MSD		MS	MSD				
Lead	77.7	78.7	80.0	80.0	ND	97	98	75-125	1	20	
Laboratory ID:	10-289-38										
	MS	MSD	MS	MSD		MS	MSD				
Lead	75.5	78.5	80.0	80.0	ND	94	98	75-125	4	20	





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
- B - The analyte indicated was also found in the blank sample.
- C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
- E - The value reported exceeds the quantitation range and is an estimate.
- F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
- H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
- I - Compound recovery is outside of the control limits.
- J - The value reported was below the practical quantitation limit. The value is an estimate.
- K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
- L - The RPD is outside of the control limits.
- M - Hydrocarbons in the gasoline range are impacting the diesel range result.
- M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
- N - Hydrocarbons in the lube oil range are impacting the diesel range result.
- N1 - Hydrocarbons in diesel range are impacting lube oil range results.
- O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
- P - The RPD of the detected concentrations between the two columns is greater than 40.
- Q - Surrogate recovery is outside of the control limits.
- S - Surrogate recovery data is not available due to the necessary dilution of the sample.
- T - The sample chromatogram is not similar to a typical _____.
- U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
- U1 - The practical quantitation limit is elevated due to interferences present in the sample.
- V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
- W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
- X - Sample extract treated with a mercury cleanup procedure.
- X1 - Sample extract treated with a sulfuric acid/silica gel cleanup procedure.
- X2 - Sample extract treated with a silica gel cleanup procedure.
- Y - The calibration verification for this analyte exceeded the 20% drift specified in methods 8260 & 8270, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
- Y1 - Negative effects of the matrix from this sample on the instrument caused values for this analyte in the bracketing continuing calibration verification standard (CCVs) to be outside of 20% acceptance criteria. Because of this, quantitation limits and sample concentrations should be considered estimates.
- Z -
- ND - Not Detected at PQL
- PQL - Practical Quantitation Limit
- RPD - Relative Percent Difference





Environmental Inc.
14648 NE 95th Street • Redmond, WA 98052
Phone: (425) 883-3881 • www.onsite-env.com

14648 NE 95th Street • Redmond, WA 98052
Phone: (425) 883-3881 • www.onsite-env.com

Company:

Kane Environmental

Project Nu

75038-3.4

Project Name:

NAV-FAC LIPA - NSE Everett CDC

Project Manager

Nate Evenson

Sampled by:

☐ Same Day ☐ 1 Day
☐ 2 Days ☐ 3 Days
☐ Standard (7 Days)
 (TPH analysis 5 Days)
☐ 5 Business Days
 (other)

Turnaround Request
(in working days)

Laboratory Number: 10-289

10-289

Company: Kane Environmental		(Check One)																												
Project Number: 75038-3.4		☐ Same Day ☐ 1 Day																												
Project Name: NAVFAC LIPA - NSE Everett CDC		☐ 2 Days ☐ 3 Days																												
Project Manager: Nate Evenson		☐ Standard (7 Days) (TPH analysis 5 Days)																												
Sampled by: Nate Evenson		☒ 5 Business Days (other) _____																												
Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	Number of Containers																									
1	B1980_R113_S1	8/16/25	0918	DW	1	NWTPH-HCID	NWTPH-Gx/BTEX	NWTPH-Gx	NWTPH-Dx	Volatiles 8260B	Halogenated Volatiles 8260B	Semivolatiles 8270D/SIM (with low-level PAHs)	PAHs 8270D/SIM (low-level)	PCBs 8082	Organochlorine Pesticides 8081A	Organophosphorus Pesticides 8270D/SIM	Chlorinated Acid Herbicides 8151A	Total RCRA / MTCA Metals (circle one)	TCLP Metals	HEM (oil and grease) 1664	DW Total Lead - EPA 200.8	MS/MSD							% Moisture	
2	B1980_R113_S2	8/16/25	0919	DW	1																	X								
3	B1980_R113_S3	8/16/25	0925	DW	1																	X								
4	B1980_R114_S4	8/16/25	0924	DW	1																	X								
5	B1980_R114_S5	8/16/25	0925	DW	1																	X								
6	B1980_R114_S6	8/16/25	0926	DW	1																	X								
7	B1980_R115_S7	8/16/25	0927	DW	1																	X								
8	B1980_R116_S8	8/16/25	0929	DW	1																	X								
9	B1980_R116_A1	8/16/25	0930	DW	1																	X								
10	B1980_R116_S9	8/16/25	0931	DW	1																	X								

Reviewed/Date

Reviewed/Date

Chromatograms with final report ☐

Data Package: Level III ☐ Level IV ☐ Electronic Data Deliverables (EDDs) ☒ Standard ☐

100

Page 2 of 6

Environmental Inc.
14648 NE 95th Street • Redmond, WA 98052
Phone (425) 883-3881 • www.on-site-env.com

Laboratory Number: 10-289

Turnaround Request
(in working days)

Company: **Kane Environmental**

Project Number: **75038-3.4**

Project Name: **NAVFAC LIPA - NSE Everett CDC**

Project Manager: **Nate Evenson**

Sampled by: _____

(Check One)

☐ Same Day ☐ 1 Day

☐ 2 Days ☐ 3 Days

☐ Standard (7 Days)
(TPH analysis 5 Days)

☒ 5 Business Days
(other)

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	Number of Containers	NWTPH-HCID	NWTPH-Gx/BTEX	NWTPH-Gx	NWTPH-Dx	Volatiles 8260B	Halogenated Volatiles 8260B	Semivolatiles 8270D/SIM (with low-level PAHs)	PAHs 8270D/SIM (low-level)	PCBs 8082	Organochlorine Pesticides 8081A	Organophosphorus Pesticides 8270D/SIM	Chlorinated Acid Herbicides 8151A	Total RCRA / MTCA Metals (circle one)	TCLP Metals	HEM (oil and grease) 1664	DW Total Lead - EPA 200.8	MS/MSD	% Moisture	
11	B1980_R117_S10	8/16/25	0933	DW	1																	X		
12	B1980_R117_A2	8/16/25	0934	DW	1																	X		
13	B1980_R117_S11	8/16/25	0935	DW	1																	X		
14	B1980_R119_S12	8/16/25	0939	DW	1																	X		
15	B1980_R119_A3	8/16/25	0940	DW	1																	X	X	
16	B1980_R119_S13	8/16/25	0941	DW	1																	X		
17	B1980_R120_S14	8/16/25	0943	DW	1																	X		
18	B1980_R120_A4	8/16/25	0944	DW	1																	X		
19	B1980_R120_S15	8/16/25	0945	DW	1																	X		
20	B1980_R121_S16	8/16/25	0947	DW	1																	X		

Signature	Company	Date	Time	Comments/Special Instructions
	KANE ENV.	10/20/25	1100	
	SPdy	10/20/25	1110	
	SPdy	10/20/25	1220	
	SPTE	10/16/25	1000	
Received				
Relinquished				
Relinquished				
Reviewed/Date	Reviewed/Date			Chromatograms with final report ☐



Onsite Environmental Inc.
14648 NE 95th Street • Redmond, WA 98052
Phone: (425) 883-3881 • www.onsite-env.com

Chain of Custody

Page 3 of 6

Company: Kane Environmental			Turnaround Request (in working days)		Laboratory Number: 10-289																			
Project Number: 75038-3.4			(Check One)																					
Project Name: NAVFAC LIPA - NSE Everett CDC			☐ Same Day	☐ 1 Day																				
Project Manager: Nate Evenson			☐ 2 Days	☐ 3 Days																				
Sampled by:			☐ Standard (7 Days) (TPH analysis 5 Days)																					
			☐ 5 Business Days (other)																					
Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	Number of Containers	NWTPH-HCID	NWTPH-Gx/BTEX	NWTPH-Gx	NWTPH-Dx	Volatiles 8260B	Halogenated Volatiles 8260B	Semivolatiles 8270D/SIM (with low-level PAHs)	PAHs 8270D/SIM (low-level)	PCBs 8082	Organochlorine Pesticides 8081A	Organophosphorus Pesticides 8270D/SIM	Chlorinated Acid Herbicides 8151A	Total RCRA / MTCA Metals (circle one)	TCLP Metals	HEM (oil and grease) 1664	DW Total Lead - EPA 200.8	MS/MSD	% Moisture	
21	B1980_R121_A5	8/18/25	0948	DW	1																	X		
22	B1980_R121_S17	8/18/25	0949	DW	1																	X		
23	B1980_EXT_HB1	8/18/25	1050	DW	1																	X		
24	B1980_R122_S18	8/18/25	0954	DW	1																	X		
25	B1980_R122_S19	8/18/25	0957	DW	1																	X		
26	B1980_R122_S20	8/18/25	0958	DW	1																	X		
27	B1980_R123_S21	8/18/25	1003	DW	1																	X		
28	B1980_R123_S22	8/18/25	1004	DW	1																	X		
29	B1980_R124_S23	8/18/25	1005	DW	1																	X		
30	B1980_R124_S24	8/18/25	1006	DW	1																	X		
Relinquished		Signature	Company	Date	Time	Comments/Special Instructions																		
Received			Kane Env.	10/20/25	1100																			
Relinquished			Sigac	10/20/25	1110																			
Relinquished			Sigac	10/20/25	1220																			
Received			OSR	10/20/25	1220																			
Relinquished																								
Received																								
Reviewed/Date																								



Onsite Environmental Inc.
14648 NE 95th Street • Redmond, WA 98052
Phone: (425) 883-3881 • www.onsite-env.com

Chain of Custody

Company: **Kane Environmental**

Project Number: **75038-3.4**

Project Name: **NAVFAC LIPA - NSE Everett CDC**

Project Manager: **Nate Evenson**

Sampled by: **Nate Evenson**

Turnaround Request
(in working days)

(Check One)

☐ Same Day ☐ 1 Day

☐ 2 Days ☐ 3 Days

☐ Standard (7 Days)
(TPH analysis 5 Days)

☐ 5 Business Days

(other)

Laboratory Number: **10-289**

Lab ID

Date Sampled

Time Sampled

Matrix

Number of Containers

NWTPH-HCID
NWTPH-Gx/BTEX
NWTPH-Gx
NWTPH-Dx
Volatiles 8260B
Halogenated Volatiles 8260B
Semivolatiles 8270D/SIM (with low-level PAHs)
PAHs 8270D/SIM (low-level)
PCBs 8082
Organochlorine Pesticides 8081A
Organophosphorus Pesticides 8270D/SIM
Chlorinated Acid Herbicides 8151A
Total RCRA / MTCA Metals (circle one)
TCLP Metals
HEM (oil and grease) 1664
DW Total Lead - EPA 200.8
MS/MSD
% Moisture

B1980_HALL_BB1
10/18/25
1010
DW
1

B1980_R105_S25
8/4/25
1014
DW
1

B1980_EXT_HB2
8/4/25
1045
DW
1

B1980_R129_S26
8/16/25
DW
1

B1980_R129_A6
8/16/25
DW
1

B1980_R129_S27
10/18/25
1022
DW
1

B1980_R129_S28
8/4/25
1024
DW
1

B1980_R129_S29
8/4/25
1025
DW
1

B1980_R129_S30
8/4/25
1026
DW
1

B1980_R130_S31
8/4/25
DW
1

Signature

Company

Date

Time

Comments/Special Instructions

Relinquished

Received

Relinquished

Received

Relinquished

Received

Reviewed/Date

Reviewed/Date

Reviewed/Date



Page 5 of 6

Environmental Inc.
14648 NE 95th Street • Redmond, VA 98052
Phone: (425) 883-3831 • www.on-site-env.com

Turnaround Request
(in working days)

Laboratory Number: 10-289

Company: **Kane Environmental**

Project Number: **75038-3.4**

Project Name: **NAVFAC LIPA - NSE Everett CDC**

Project Manager: **Nate Evenson**

Sampled by: (Signature)

(Check One)
☐ Same Day ☐ 1 Day
☐ 2 Days ☐ 3 Days
☐ Standard (7 Days)
(TPH analysis 5 Days)
☒ 5 Business Days
(other)

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	Number of Containers	NWTPH-HCID	NWTPH-Gx/BTEX	NWTPH-Gx	NWTPH-Dx	Volatiles 8260B	Halogenated Volatiles 8260B	Semivolatiles 8270D/SIM (with low-level PAHs)	PAHs 8270D/SIM (low-level)	PCBs 8082	Organochlorine Pesticides 8081A	Organophosphorus Pesticides 8270D/SIM	Chlorinated Acid Herbicides 8151A	Total RCRA / MTCA Metals (circle one)	TCLP Metals	HEM (oil and grease) 1664	DW Total Lead - EPA 200.8	MS/MSD	% Moisture	
38	B1980_R130_S32	8/16/25	10:30	DW	1																	X	X	
39	B1980_R130_S33	8/16/25	10:31	DW	1																	X		
40	B1980_R130_S34	8/16/25	10:32	DW	1																	X		
41	B1980_R130_S35	8/16/25	10:33	DW	1																	X		
42	B1980_R107_S36	8/16/25	11:35	DW	1																	X		
43	B1980_R103_S37	8/16/25	10:31	DW	1																	X		
44	B1980_R103_S38	8/16/25	10:38	DW	1																	X		
45	B1980_R103_S39	8/16/25	10:39	DW	1																	X		
46	B1980_R103_SP1	8/16/25	10:40	DW	1																	X		

Relinquished	Signature	Company	Date	Time	Comments/Special Instructions
Received		Kane Env.	10/10/25	11:00	
Relinquished		Van	10/20/25	11:10	
Received		Van	10/20/25	12:20	
Relinquished		ODE	10/16/25	12:20	
Received					
Relinquished					
Received					
Relinquished					

Chromatograms with final report ☐



**Onsite
Environmental Inc.**
14648 NE 95th Street • Redmond, WA 98052
Phone: (425) 883-3881 • www.onsite-env.com

Chain of Custody

Company: Kane Environmental

Project Number: 75038-3.4

Project Name: NAVFAC LIPA - NSE Everett CDC

Project Manager: Nate Evenson

Sampled by:

Turnaround Request
(in working days)

(Check One)

☐ Same Day ☐ 1 Day

☐ 2 Days ☐ 3 Days

☐ Standard (7 Days)
(TPH analysis 5 Days)

☒ 5 Business Days
(other)

Laboratory Number: 10-289

Number of Containers

NWTPH-HCID

NWTPH-Gx/BTEX

NWTPH-Gx

NWTPH-Dx

Volatiles 8260B

Halogenated Volatiles 8260B

Semivolatiles 8270D/SIM
(with low-level PAHs)

PAHs 8270D/SIM (low-level)

PCBs 8082

Organochlorine Pesticides 8081A

Organophosphorus Pesticides 8270D/SIM

Chlorinated Acid Herbicides 8151A

Total RCRA / MTCA Metals (circle one)

TCLP Metals

HEM (oil and grease) 1664

DW Total Lead - EPA 200.8

MS/MSD

% Moisture

Sample Identification

Lab ID

Date Sampled

Time Sampled

Matrix

Number of Containers

NWTPH-HCID

NWTPH-Gx/BTEX

NWTPH-Gx

NWTPH-Dx

Volatiles 8260B

Halogenated Volatiles 8260B

Semivolatiles 8270D/SIM
(with low-level PAHs)

PAHs 8270D/SIM (low-level)

PCBs 8082

Organochlorine Pesticides 8081A

Organophosphorus Pesticides 8270D/SIM

Chlorinated Acid Herbicides 8151A

Total RCRA / MTCA Metals (circle one)

TCLP Metals

HEM (oil and grease) 1664

DW Total Lead - EPA 200.8

MS/MSD

% Moisture

Lab ID

Sample Identification

Date Sampled

Time Sampled

Matrix

Number of Containers

NWTPH-HCID

NWTPH-Gx/BTEX

NWTPH-Gx

NWTPH-Dx

Volatiles 8260B

Halogenated Volatiles 8260B

Semivolatiles 8270D/SIM
(with low-level PAHs)

PAHs 8270D/SIM (low-level)

PCBs 8082

Organochlorine Pesticides 8081A

Organophosphorus Pesticides 8270D/SIM

Chlorinated Acid Herbicides 8151A

Total RCRA / MTCA Metals (circle one)

TCLP Metals

HEM (oil and grease) 1664

DW Total Lead - EPA 200.8

MS/MSD

% Moisture

Lab ID

Sample Identification

Date Sampled

Time Sampled

Matrix

Number of Containers

NWTPH-HCID

NWTPH-Gx/BTEX

NWTPH-Gx

NWTPH-Dx

Volatiles 8260B

Halogenated Volatiles 8260B

Semivolatiles 8270D/SIM
(with low-level PAHs)

PAHs 8270D/SIM (low-level)

PCBs 8082

Organochlorine Pesticides 8081A

Organophosphorus Pesticides 8270D/SIM

Chlorinated Acid Herbicides 8151A

Total RCRA / MTCA Metals (circle one)

TCLP Metals

HEM (oil and grease) 1664

DW Total Lead - EPA 200.8

MS/MSD

% Moisture

Lab ID

Sample Identification

Date Sampled

Time Sampled

Matrix

Number of Containers

NWTPH-HCID

NWTPH-Gx/BTEX

NWTPH-Gx

NWTPH-Dx

Volatiles 8260B

Halogenated Volatiles 8260B

Semivolatiles 8270D/SIM
(with low-level PAHs)

PAHs 8270D/SIM (low-level)

PCBs 8082

Organochlorine Pesticides 8081A

Organophosphorus Pesticides 8270D/SIM

Chlorinated Acid Herbicides 8151A

Total RCRA / MTCA Metals (circle one)

TCLP Metals

HEM (oil and grease) 1664

DW Total Lead - EPA 200.8

MS/MSD

% Moisture

Lab ID

Sample Identification

Date Sampled

Time Sampled

Matrix

Number of Containers

NWTPH-HCID

NWTPH-Gx/BTEX

NWTPH-Gx

NWTPH-Dx

Volatiles 8260B

Halogenated Volatiles 8260B

Semivolatiles 8270D/SIM
(with low-level PAHs)

PAHs 8270D/SIM (low-level)

PCBs 8082

Organochlorine Pesticides 8081A

Organophosphorus Pesticides 8270D/SIM

Chlorinated Acid Herbicides 8151A

Total RCRA / MTCA Metals (circle one)

TCLP Metals

HEM (oil and grease) 1664

DW Total Lead - EPA 200.8

MS/MSD

% Moisture

Lab ID

Sample Identification

Date Sampled

Time Sampled

Matrix

Number of Containers

NWTPH-HCID

NWTPH-Gx/BTEX

NWTPH-Gx

NWTPH-Dx

Volatiles 8260B

Halogenated Volatiles 8260B

Semivolatiles 8270D/SIM
(with low-level PAHs)

PAHs 8270D/SIM (low-level)

PCBs 8082

Organochlorine Pesticides 8081A

Organophosphorus Pesticides 8270D/SIM

Chlorinated Acid Herbicides 8151A

Total RCRA / MTCA Metals (circle one)

TCLP Metals

HEM (oil and grease) 1664

DW Total Lead - EPA 200.8

MS/MSD

% Moisture

Lab ID

Sample Identification

Date Sampled

Time Sampled

Matrix

Number of Containers

NWTPH-HCID

NWTPH-Gx/BTEX

NWTPH-Gx

NWTPH-Dx

Volatiles 8260B

Halogenated Volatiles 8260B

Semivolatiles 8270D/SIM
(with low-level PAHs)

PAHs 8270D/SIM (low-level)

PCBs 8082

Organochlorine Pesticides 8081A

Organophosphorus Pesticides 8270D/SIM

Chlorinated Acid Herbicides 8151A

Total RCRA / MTCA Metals (circle one)

TCLP Metals

HEM (oil and grease) 1664

DW Total Lead - EPA 200.8

MS/MSD

% Moisture

Lab ID

Sample Identification

Date Sampled

Time Sampled

Matrix

Number of Containers

NWTPH-HCID

NWTPH-Gx/BTEX

NWTPH-Gx

NWTPH-Dx

Volatiles 8260B

Halogenated Volatiles 8260B

Semivolatiles 8270D/SIM
(with low-level PAHs)

PAHs 8270D/SIM (low-level)

PCBs 8082

Organochlorine Pesticides 8081A

Organophosphorus Pesticides 8270D/SIM

Chlorinated Acid Herbicides 8151A

Total RCRA / MTCA Metals (circle one)

TCLP Metals

HEM (oil and grease) 1664

DW Total Lead - EPA 200.8

MS/MSD

% Moisture

Lab ID

Sample Identification

Date Sampled

Time Sampled

Matrix

Number of Containers

NWTPH-HCID

NWTPH-Gx/BTEX

NWTPH-Gx

NWTPH-Dx

Volatiles 8260B

Halogenated Volatiles 8260B

Semivolatiles 8270D/SIM
(with low-level PAHs)

PAHs 8270D/SIM (low-level)

PCBs 8082

Organochlorine Pesticides 8081A

Organophosphorus Pesticides 8270D/SIM

Chlorinated Acid Herbicides 8151A

Total RCRA / MTCA Metals (circle one)

TCLP Metals

HEM (oil and grease) 1664

DW Total Lead - EPA 200.8

MS/MSD

% Moisture

Lab ID

Sample Identification

Date Sampled

Time Sampled

Matrix

Number of Containers

NWTPH-HCID

NWTPH-Gx/BTEX

NWTPH-Gx

NWTPH-Dx

Volatiles 8260B

Halogenated Volatiles 8260B

Semivolatiles 8270D/SIM
(with low-level PAHs)

PAHs 8270D/SIM (low-level)

PCBs 8082

Organochlorine Pesticides 8081A

Organophosphorus Pesticides 8270D/SIM

Chlorinated Acid Herbicides 8151A

Total RCRA / MTCA Metals (circle one)

TCLP Metals

HEM (oil and grease) 1664

DW Total Lead - EPA 200.8

MS/MSD

% Moisture

Lab ID

Sample Identification

Date Sampled

Time Sampled

Matrix

Number of Containers

NWTPH-HCID

NWTPH-Gx/BTEX

NWTPH-Gx

NWTPH-Dx

Volatiles 8260B

Halogenated Volatiles 8260B

Semivolatiles 8270D/SIM
(with low-level PAHs)

PAHs 8270D/SIM (low-level)

PCBs 8082

Organochlorine Pesticides 8081A

Organophosphorus Pesticides 8270D/SIM

Chlorinated Acid Herbicides 8151A

Total RCRA / MTCA Metals (circle one)

TCLP Metals

HEM (oil and grease) 1664

DW Total Lead - EPA 200.8

MS/MSD

% Moisture

Lab ID

Sample Identification

Date Sampled

Time Sampled

Matrix